LebanonTurf

Country Club Maximum D

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX slow release nitrogen
- SGN 80 is ideal for putting greens

FERTILIZER

GUARANTEED ANALYSIS Total Nitrogen (N)..... 1.5% Ammoniacal Nitrogen 3.0% Water Insoluble Nitrogen 4.1% Urea Nitrogen 5.4% Other Water Soluble Nitrogen * Available Phosphate (P₂O₅) Soluble Potash (K₂O) Magnesium (Mg) 1.5% Water Soluble Magnesium (Mg) Sulfur (S) ... 6.6% Combined Sulfur (S) 0.2% Water Soluble Iron (Fe) Manganese (Mn)... 1.0% Water Soluble Manganese (Mn) Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Kelp Meal, Sulfate of Potash Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate *8.4% Slowly Available Nitrogen from Methylene Ureas. Chlorine (CI) not more than ALSO CONTAINS NON PLANT FOOD INGREDIENTS **SOIL/PLANT AMENDING INGREDIENTS Active Ingredients:** Humic Acids (derived from Leonardite) 1.0% Inert Ingredients (as soil amending)99.0% 99.0% Fertilizer Ingredients Country Club MD products contain humic acids, which may aid in nutrient availability

GUARANTEED MINIMUM ANALYSIS Total Nitrogen (N)	14%
1.5% Ammoniacal Nitrogen 3.0% Water Insoluble Nitrogen* 4.1% Urea Nitrogen 5.4% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	7%
Soluble Potash (K ₂ O) Magnesium (Mg)	14% 1.5%
Sulfur (S)	6.6%
Iron (Fe) (actual)	
Manganese (Mn) (actual) 1.0% Water Soluble Manganese (Mn)	1.0%
Chlorine (CI) (maximum)	2.0%
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Kelp Meal, Sulfate o Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	of Potash,
*8.4% Slowly Available Nitrogen from Methylene Ureas.	
ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS Active Ingredients:	
Humic Acids (derived from Leonardite) 1.0%	
Inert Ingredients (as soil amending)99.0%	CANADA
99.0% Fertilizer Ingredients	
Country Club MD products contain humic acids, which may aid in nutrient availa	bility.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 6.4 lbs per 1,000 sq. ft. or 279 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 157 lbs. per acre.

	SUGGESTED SPREADE	R SETTINGS
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. 1
Lebanon Turf	41/2	2
Andersons Ad	cuPro K	F
Earthway Rot	ary 15	11
Gandy	24	21
Lely	5 II	2 ½ II
Lesco (letter/	'numeric) i/17	F/16
PennMulch H	VO L	G
ProScape SS	L	G
Spyker	41/2	2
Vicon	24	17
These settin	ns were calibrated a	nd field tested

However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilize contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New

York or Virginia except when 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years

before the application: 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established

or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Warning

Hazard Statements Harmful if swallowed. Causes skin irritation May cause respiratory irritation

May be harmful if inhaled repeatedly over prolonged periods uspected of causing cancer by prolonged/repo

Precautionary Statements
Keep container tightly closed and in a well-ventilated place.

Avoid breathing dust. Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection. Use appropriate personal protective equipment as required to avoid breathing dust. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

If on skin: Gently wash with plenty of soap and water. Seek medical attention if irritation occurs and persists.

IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/physi-

If in eyes, rinse cautiously with water for several minutes. If eye irritation persists:

If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Take off contaminted clothing and wash before resus

Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Use in accordance with recommendations of a qualified individual or institution, such

as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is

expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

NOTE To the extent consistent with applicable law. Buver assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 3.1 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N)

Equivalent to 1.7 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.48kg N/100 m ² .	0.24kg N/100 m ² .
Lebanon Turf	41/2	2
Andersons Accu	Pro K	F
Earthway Rotary	15	11
Gandy	24	21
Lely	5 II	2 ½ II
Lesco (letter/nui	meric) i/17	F/16
PennMulch HVO	L	G
ProScape SS	L	G
Spyker	41/2	2
Vicon	24	17

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly



21-29072

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717-273-1685)

LebanonTurf

Country Club Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 80 is ideal for putting greens

RTILIZ

GUARANTEED ANALYSIS

Total Nitrogen (N)	14%
1.5% Ammoniacal Nitrogen	
3.0% Water Insoluble Nitrogen*	
4.1% Urea Nitrogen	
5.4% Other Water Soluble Nitrogen *	70/
Available Phosphate (P ₂ O ₅)	
Soluble Potash (K ₂ 0)	1.5%
1.5% Water Soluble Magnesium (Mg)	1.0 /0
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	0.070
Iron (Fe)	2.0%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	1.0%
1.0% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Kelp Meal, Sulfate of P Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	otash,
*8.4% Slowly Available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than	2.0%
Humic Acids (derived from Leonardite) 1.0%	
Inert Ingredients (as soil amending)	U.S.A
99.0% Fertilizer Ingredients	
Country Club MD products contain humic acids, which may aid in nutrient availabili	tv.
, p doido, which may are in national availability	٠,.

UUANAN I EED IVIINIIVIUVI ANALT 313	
Total Nitrogen (N)	14%
1.5% Ammoniacal Nitrogen	
3.0% Water Insoluble Nitrogen*	
4.1% Urea Nitrogen	
5.4% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	7%
Soluble Potash (K ₂ O)	
Nagnesium (Mg)	1.5%
1.5% Water Soluble Magnesium (Mg)	0.00/
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	0.00/
ron (Fe) (actual)	2.0%
0.2% Water Soluble Iron (Fe)	1 00/
Manganese (Mn) (actual)	1.0 /0
1.0% Water Soluble Manganese (Mn)	
Chlorine (CI) (maximum)	2.0%
Darised Fram: Ammanium Dhaanhata, Mathulana Uraga, Uraga, Kala Magi, Culfata af E	Dotach
Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Kelp Meal, Sulfate of F	· UtdSII
Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
*8.4% Slowly Available Nitrogen from Methylene Ureas.	
ALSO CONTAINS NON PLANT FOOD INGREDIENTS	

SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite) 1.0% Inert Ingredients (as soil amending)99.0%

99.0% Fertilizer Ingredients

Country Club MD products contain humic acids, which may aid in nutrient availability.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.9 lb.Nitrogen (N) per 1.000 sq. ft., apply this product at 6.4 lbs per 1,000 sq. ft. or 279 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 157 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader 0.9#N/	1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	41/2	2
Andersons AccuPro	K	F
Earthway Rotary	15	11
Gandy	24	21
Lely	5 II	2 ½ II
Lesco (letter/numeric)	i/17	F/16
PennMulch HVO	L	G
ProScape SS	L	G
Spyker	41/2	2
Vicon	24	17
W1 111		10.111

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application:

2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State:

or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Hazard Statements Harmful if swallowed Causes skin irritation.

Causes eye irritation.

May cause respiratory irritation.

May be harmful if inhaled repeatedly over prolonged periods. Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements

Keep container tightly closed and in a well-ventilated place.

Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection. Use appropriate personal protective equipment as required to avoid breathing dust. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

If on skin: Gently wash with plenty of soap and water. Seek medical attention if irritation occurs and persists.

IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/physi-If in eyes, rinse cautiously with water for several minutes. If eye irritation persists:

Seek medical advice.
If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at rest

in a position comfortable for breathing.

Take off contaminted clothing and wash before resuse

Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

> Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

CANADA

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 3.1 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.7 kg of product per 100 sq. meters.

-			
SUGGESTED SPREADER SETTINGS			
Spreader	0.48kg N/100 m ² .	0.24kg N/100 m ² .	
Lebanon Turf	41/2	2	
Andersons Accu	Pro K	F	
Earthway Rotary	15	11	
Gandy	24	21	
Lely	5 II	2 ½ II	
Lesco (letter/nui	neric) i/17	F/16	
PennMulch HVO	L	G	
ProScape SS	L	G	
Spyker	41/2	2	
Vicon	24	17	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage



For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight