

LebanonTurf

Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 80 is ideal for putting greens

STARTER FERTILIZER

12-24-8



GUARANTEED ANALYSIS

Total Nitrogen (N).....	12%
5.0% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen*	
2.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	24%
Soluble Potash (K ₂ O)	8%
Sulfur (S)	2.6%
2.6% Combined Sulfur (S)	

Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal.

*4.2% Slowly Available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N).....	12%
5.0% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen*	
2.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	24%
Soluble Potash (K ₂ O)	8%
Sulfur (S)	2.6%
2.6% Combined Sulfur (S)	

Chlorine (Cl) maximum 2.0%

Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal.

*4.2% Slowly Available Nitrogen from Methylene Ureas.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club[®] MD products contain humic acids, which may aid in nutrient availability.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:
To feed at the rate of 1 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 4.2 lbs per 1,000 sq. ft. or 183 lbs. per acre. To feed at the rate of ½ lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 2.1 lbs per 1,000 sq. ft. or 92 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	1# P ₂ O ₅ /1,000 sq. ft.	0.5 #P ₂ O ₅ /1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15	G	D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Warning



Hazard Statements

May be harmful if swallowed.
Causes mild skin irritation.
Causes eye irritation on contact.
May be harmful if inhaled repeatedly over prolonged periods.
May cause respiratory irritation.
Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements

Avoid breathing dust.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use appropriate personal protective equipment as required to avoid breathing dust.
If skin irritation occurs: Wash with soap and water.
If in eyes, rinse cautiously with water for several minutes.
If eye irritation persists: seek medical attention.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>


Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.48 kg Phosphate (P₂O₅) Equivalent to 2.0 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Phosphate (P₂O₅) Equivalent to 1.0 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.48 kg #P ₂ O ₅ /100 m ²	0.24 kg #P ₂ O ₅ /100 m ²
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15	G	D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-29076** C/17

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight

LebanonTurf



Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 80 is ideal for putting greens

STARTER FERTILIZER

12-24-8



GUARANTEED ANALYSIS

Total Nitrogen (N)	12%
5.0% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen*	
2.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	24%
Soluble Potash (K ₂ O)	8%
Sulfur (S)	2.6%
2.6% Combined Sulfur (S)	

Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal.

*4.2% Slowly Available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	12%
5.0% Ammoniacal Nitrogen	
1.5% Water Insoluble Nitrogen*	
2.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	24%
Soluble Potash (K ₂ O)	8%
Sulfur (S)	2.6%
2.6% Combined Sulfur (S)	

Chlorine (Cl) maximum 2.0%

Derived From: Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal.

*4.2% Slowly Available Nitrogen from Methylene Ureas.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:

Humic Acids (derived from Leonardite) .. 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

CANADA

Country Club® MD products contain humic acids, which may aid in nutrient availability.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 1 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 4.2 lbs per 1,000 sq. ft. or 183 lbs. per acre. To feed at the rate of ½ lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 2.1 lbs per 1,000 sq. ft. or 92 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1# P ₂ O ₅ /1,000 sq. ft.	0.5 #P ₂ O ₅ /1,000 sq. ft.
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15		D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Warning



Hazard Statements

May be harmful if swallowed.
Causes mild skin irritation.
Causes eye irritation on contact.
May be harmful if inhaled repeatedly over prolonged periods.
May cause respiratory irritation.
Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements

Avoid breathing dust.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use appropriate personal protective equipment as required to avoid breathing dust.
If skin irritation occurs: Wash with soap and water.
If in eyes, rinse cautiously with water for several minutes.
If eye irritation persists: seek medical attention.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:


To feed at the rate of 0.48 kg Phosphate (P₂O₅) Equivalent to 2.0 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Phosphate (P₂O₅) Equivalent to 1.0 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg #P ₂ O ₅ /100 m ²	0.24 kg #P ₂ O ₅ /100 m ²
Lebanon Turf	2	1½
Andersons AccuPro	F	D
Earthway Rotary	11	9
Gandy	22	18
Lely	3 II	2 II
Lesco (letter/numeric)E/15		D/14
PennMulch HVO	G	D
ProScape SS	G	D
Spyker	2	1½
Vicon	17	14

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

21-29076

C/17

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717-273-1685)

40 Lbs. (18.14 kg) Net Weight