



# Country Club<sup>®</sup>

## FERTILIZER



**FAIRWAY GRADE FORMULA**  
**HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF**  
 COVERS 9,000 SQ. FT.

# 19-0-9



### GUARANTEED ANALYSIS

Total Nitrogen .....	19%
8.3% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
1.6% Urea Nitrogen	
3.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O).....	9%
Magnesium (Mg).....	1.0%
0.2% Water Soluble Magnesium (Mg)	
Sulfur (S).....	8.0%
8.0% Combined Sulfur (S)	
Iron (Fe) .....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
9.1% Slowly Available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than.....	2.0%

U.S.A

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen .....	19%
8.3% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
1.6% Urea Nitrogen	
3.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O).....	9%
Magnesium (Mg).....	1.0%
0.2% Water Soluble Magnesium (Mg)	
Sulfur (S).....	8.0%
8.0% Combined Sulfur (S)	
Iron (Fe) (actual).....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) (actual).....	0.25%
0.25% Water Soluble Manganese (Mn)	
Chlorine (Cl) (maximum).....	2.0%
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
9.1% Slowly Available Nitrogen from Methylene Ureas.	

CANADA

**NOTICE:** This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**Application Rates:**  
 To feed at the rate of 0.9lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.7 lbs per 1,000 sq. ft. or 196 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.6 lbs per 1,000 sq. ft. or 109 lbs. per acre.

Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4	3½
Andersons AccuPro	M	H
Earthway Rotary	18	15
Gandy	30	26
Lely	7 II	5½ II
Lesco (letter/numeric)	K/22	H/16
PennMulch HVD	N	J
ProScape SS	N	J
Spyker	4	3½
Vicon	30	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

#### KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### Warning



#### Hazard Statements

May be harmful if inhaled repeatedly over long time periods.  
 Suspected of causing cancer by prolonged/repeated inhalation.  
 Causes skin irritation with prolonged contact.  
 Causes serious eye irritation.  
 May be harmful if inhaled repeatedly over prolonged periods.  
 May cause respiratory irritation.

#### Precautionary Statements


Keep container tightly closed and store locked up in a well-ventilated place.  
 Avoid breathing dust.  
 Wash hands thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Use appropriate personal protective equipment as required to avoid breathing dust.  
 Call a POISON CONTROL CENTER or doctor/physician if you feel unwell.  
 If skin irritation occurs: Wash with plenty of soap and water.  
 If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek medical advice.  
 If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 Take off contaminated clothing and wash before reuse.  
 Dispose in accordance with all federal, state and local regulations.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
 To apply at the rate of 0.43 kg N/100 sq. meters. Equivalent to 2.3 kg of product per 100 sq. meters.  
 To apply at the rate of 0.22 kg N/100 sq. meters. Equivalent to 1.3 kg of product per 100 sq. meters.

Spreader	0.43 kg N/100 m <sup>2</sup> .	0.22 kg N/100 m <sup>2</sup> .
Lebanon Turf	4	3½
Andersons AccuPro	M	H
Earthway Rotary	18	15
Gandy	30	26
Lely	7 II	5½ II
Lesco (letter/numeric)	K/22	H/16
PennMulch HVD	N	J
ProScape SS	N	J
Spyker	4	3½
Vicon	30	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
 1600 E. Cumberland St • Lebanon, PA 17042  
 800-233-0628 • (717) 273-1685


**50 Lbs. (22.7 kg) Net Weight**

# FAIRWAY GRADE FORMULA

## HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

COVERS 9,000 SQ. FT.

# 19-0-9



### GUARANTEED ANALYSIS

Total Nitrogen .....	19%
8.3% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
1.6% Urea Nitrogen	
3.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O).....	9%
Magnesium (Mg) .....	1.0%
0.2% Water Soluble Magnesium (Mg)	
Sulfur (S).....	8.0%
8.0% Combined Sulfur (S)	
Iron (Fe) .....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) .....	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
9.1% Slowly Available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than.....	2.0%

U.S.A

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen .....	19%
8.3% Ammoniacal Nitrogen	
5.5% Water Insoluble Nitrogen*	
1.6% Urea Nitrogen	
3.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O).....	9%
Magnesium (Mg) .....	1.0%
0.2% Water Soluble Magnesium (Mg)	
Sulfur (S).....	8.0%
8.0% Combined Sulfur (S)	
Iron (Fe) (actual).....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) (actual).....	0.25%
0.25% Water Soluble Manganese (Mn)	
Chlorine (Cl) (maximum).....	2.0%
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
9.1% Slowly Available Nitrogen from Methylene Ureas.	

CANADA

**NOTICE:** This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

<b>Application Rates:</b>		
To feed at the rate of 0.9lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.7 lbs per 1,000 sq. ft. or 196 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.6 lbs per 1,000 sq. ft. or 109 lbs. per acre.		
<b>SUGGESTED SPREADER SETTINGS</b>		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4	3½
Andersons AccuPro	M	H
Earthway Rotary	18	15
Gandy	30	26
Lely	7 II	5½ II
Lesco (letter/numeric)	K/22	H/16
PennMulch HVO	N	J
ProScape SS	N	J
Spyker	4	3½
Vicon	30	22
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		

**KEEP OUT OF REACH OF CHILDREN.**  
Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

**WARRANTY**

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### Warning



**Hazard Statements**


May be harmful if inhaled repeatedly over long time periods.  
Suspected of causing cancer by prolonged/repeated inhalation.  
Causes skin irritation with prolonged contact.  
Causes serious eye irritation.  
May be harmful if inhaled repeatedly over prolonged periods.  
May cause respiratory irritation.

**Precautionary Statements**

Keep container tightly closed and store locked up in a well-ventilated place.  
Avoid breathing dust.  
Wash hands thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use appropriate personal protective equipment as required to avoid breathing dust.  
Call a POISON CONTROL CENTER or doctor/physician if you feel unwell.  
If skin irritation occurs: Wash with plenty of soap and water.  
If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek medical advice.  
If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Take off contaminated clothing and wash before reuse.  
**Dispose in accordance with all federal, state and local regulations.**

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

<b>Application Rates:</b>		
To apply at the rate of 0.43 kg N/100 sq. meters. Equivalent to 2.3 kg of product per 100 sq. meters.		
To apply at the rate of 0.22 kg N/100 sq. meters. Equivalent to 1.3 kg of product per 100 sq. meters.		
<b>SUGGESTED SPREADER SETTINGS</b>		
Spreader	0.43 kg N /100 m <sup>2</sup> .	0.22 kg N /100 m <sup>2</sup> .
Lebanon Turf	4	3½
Andersons AccuPro	M	H
Earthway Rotary	18	15
Gandy	30	26
Lely	7 II	5½ II
Lesco (letter/numeric)	K/22	H/16
PennMulch HVO	N	J
ProScape SS	N	J
Spyker	4	3½
Vicon	30	22
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		



F699

21-35595

j/16

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**