



# Country Club<sup>®</sup>

## FERTILIZER



# 26-0-5



| GUARANTEED ANALYSIS   |      | GUARANTEED MINIMUM ANALYSIS   |     |
|---|------|---|-----|
| Total Nitrogen (N) .....  | 26%  | Total Nitrogen (N) .....  | 26% |
| 11.6% Ammoniacal Nitrogen   |      | 11.6% Ammoniacal Nitrogen   |     |
| 8.0% Water Insoluble Nitrogen*                                      |      | 8.0% Water Insoluble Nitrogen*                                      |     |
| 1.4% Urea Nitrogen  |      | 1.4% Urea Nitrogen  |     |
| 5.0% Other Water Soluble Nitrogen*                                  |      | 5.0% Other Water Soluble Nitrogen*                                  |     |
| Soluble Potash (K <sub>2</sub> O) .....                             | 5%   | Soluble Potash (K <sub>2</sub> O) .....                             | 5%  |
| Sulfur (S) .....  | 12%  | Sulfur (S) .....  | 12% |
| 12.0% Combined Sulfur (S)   |      | 12.0% Combined Sulfur (S)   |     |
| Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash. |      | Chlorine (Cl) (maximum) .....                                       |     |
| *13.0% Slowly available Nitrogen from Methylene Ureas.              |      | 2.0%  |     |
| Chlorine (Cl) not more than .....                                   | 2.0% | Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash. |     |
| U.S.A.  |      | *13.0% Slowly available Nitrogen from Methylene Ureas.              |     |
|   |      | CANADA  |     |

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.9 lbs per 1,000 sq. ft. or 83 lbs. per acre.

| SUGGESTED SPREADER SETTINGS |                     |                     |
|-----------------------------|---------------------|---------------------|
| Spreader                    | 0.9#N/1,000 sq. ft. | 0.5#N/1,000 sq. ft. |
| Lebanon Turf                | 4 1/4               | 3                   |
| Andersons AccuPro           | I                   | F                   |
| Earthway Rotary             | 15                  | 12                  |
| Gandy                       | 25                  | 22                  |
| Lely                        | 5 II                | 3 II                |
| Lesco (letter/numeric)      | I/16                | D/10                |
| PennMulch HVO               | K                   | E                   |
| ProScape SS                 | K                   | E                   |
| Spyker                      | 4 1/4               | 3                   |
| Vicon                       | 23                  | 20                  |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

### WARNING



**Hazard Statements**  
May be harmful if inhaled repeatedly over prolonged periods.  
Suspected of causing cancer by prolonged/repeated inhalation.

**Precautionary Statements**  
Avoid breathing dust.  
Use appropriate personal protective equipment as required to avoid breathing dust.  
Dispose in accordance with all federal, state and local regulations.

**KEEP OUT OF REACH OF CHILDREN.**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

**Application Rates:**  
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.  
To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

| SUGGESTED SPREADER SETTINGS |                                 |                                 |
|-----------------------------|---------------------------------|---------------------------------|
| Spreader                    | 0.43 kg #N/100 m <sup>2</sup> . | 0.22 kg #N/100 m <sup>2</sup> . |
| Lebanon Turf                | 4 1/4                           | 3                               |
| Andersons AccuPro           | I                               | F                               |
| Earthway Rotary             | 15                              | 12                              |
| Gandy                       | 25                              | 22                              |
| Lely                        | 5 II                            | 3 II                            |
| Lesco (letter/numeric)      | I/16                            | D/10                            |
| PennMulch HVO               | K                               | E                               |
| ProScape SS                 | K                               | E                               |
| Spyker                      | 4 1/4                           | 3                               |
| Vicon                       | 23                              | 20                              |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-40590** j/16

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**

# 26-0-5



## GUARANTEED ANALYSIS

|   |     |
|---|-----|
| Total Nitrogen (N) .....                | 26% |
| 11.6% Ammoniacal Nitrogen               |     |
| 8.0% Water Insoluble Nitrogen*          |     |
| 1.4% Urea Nitrogen                      |     |
| 5.0% Other Water Soluble Nitrogen*      |     |
| Soluble Potash (K <sub>2</sub> O) ..... | 5%  |
| Sulfur (S) .....                        | 12% |
| 12.0% Combined Sulfur (S)               |     |

Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash.

\*13.0% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than .....

2.0%

U.S.A

## GUARANTEED MINIMUM ANALYSIS

|   |     |
|---|-----|
| Total Nitrogen (N) .....                | 26% |
| 11.6% Ammoniacal Nitrogen               |     |
| 8.0% Water Insoluble Nitrogen*          |     |
| 1.4% Urea Nitrogen                      |     |
| 5.0% Other Water Soluble Nitrogen*      |     |
| Soluble Potash (K <sub>2</sub> O) ..... | 5%  |
| Sulfur (S) .....                        | 12% |
| 12.0% Combined Sulfur (S)               |     |

Chlorine (Cl) (maximum) .....

2.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Sulfate of Potash.

\*13.0% Slowly available Nitrogen from Methylene Ureas.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

### Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.9 lbs per 1,000 sq. ft. or 83 lbs. per acre.

### SUGGESTED SPREADER SETTINGS

| Spreader               | 0.9#N/1,000 sq. ft. | 0.5#N/1,000 sq. ft. |
|------------------------|---------------------|---------------------|
| Lebanon Turf           | 4 1/4               | 3                   |
| Andersons AccuPro      | I                   | F                   |
| Earthway Rotary        | 15                  | 12                  |
| Gandy                  | 25                  | 22                  |
| Lely                   | 5 II                | 3 II                |
| Lesco (letter/numeric) | I/16                | D/10                |
| PennMulch HVO          | K                   | E                   |
| ProScape SS            | K                   | E                   |
| Spyker                 | 4 1/4               | 3                   |
| Vicon                  | 23                  | 20                  |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

### WARNING



### Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods. Suspected of causing cancer by prolonged/repeated inhalation.

### Precautionary Statements

Avoid breathing dust. Use appropriate personal protective equipment as required to avoid breathing dust. Dispose in accordance with all federal, state and local regulations.

**KEEP OUT OF REACH OF CHILDREN.**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### Application Rates:


To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

### SUGGESTED SPREADER SETTINGS

| Spreader               | 0.43 kg #N/100 m <sup>2</sup> . | 0.22 kg #N/100 m <sup>2</sup> . |
|------------------------|---------------------------------|---------------------------------|
| Lebanon Turf           | 4 1/4                           | 3                               |
| Andersons AccuPro      | I                               | F                               |
| Earthway Rotary        | 15                              | 12                              |
| Gandy                  | 25                              | 22                              |
| Lely                   | 5 II                            | 3 II                            |
| Lesco (letter/numeric) | I/16                            | D/10                            |
| PennMulch HVO          | K                               | E                               |
| ProScape SS            | K                               | E                               |
| Spyker                 | 4 1/4                           | 3                               |
| Vicon                  | 23                              | 20                              |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

F699

21-40590

j/16

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**