

LebanonTurf

Country Club®

Blended Fertilizer

FAIRWAY GRADE FERTILIZER

17-0-20



expo®
POTASSIUM
SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	17%
4.2% Water Insoluble Nitrogen*	
5.3% Urea Nitrogen	
7.5% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)**	20%
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe)	1.4%
0.14% Water Soluble Iron (Fe)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide Ferrous Sulfate.

*11.7% Slowly available Nitrogen from Methylene Ureas.

** 6.0% Slow Release Potash from Occulded Sulfate of Potash.

Chlorine (Cl) not more than 2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	17%
4.2% Water Insoluble Nitrogen*	
5.3% Urea Nitrogen	
7.5% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)**	20%
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe) (actual)	1.4%
0.14% Water Soluble Iron (Fe)	
Chlorine (Cl) (maximum)	2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide Ferrous Sulfate.

*11.7% Slowly available Nitrogen from Methylene Ureas.

** 6.0% Slow Release Potash from Occulded Sulfate of Potash.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 5.2 lbs per 1,000 sq. ft. or 226 lbs. per acre. To feed at the rate of 0.5 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.9 lbs per 1,000 sq. ft. or 126 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1# K ₂ O/1,000 sq. ft.	0.5# K ₂ O/1,000 sq. ft.
Lebanon Turf	5½	4½
Andersons AccuPro	M	J
Earthway Rotary	20	15
Gandy	30	26
Lely	7 II	5 II
Lesco (letter/numeric)	L/24	i/17
PennMulch HVO	0	K
ProScape SS	0	K
Spyker	5½	4½
Vicon	31	24

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Warning



Hazard Statements

May be harmful if inhaled repeatedly over long time periods. Suspected of causing cancer by prolonged/repeated inhalation. Causes mild skin irritation. May cause eye irritation. May cause respiratory irritation on contact.

Precautionary Statements

Avoid breathing dust. Use appropriate personal protective equipment as required to avoid breathing dust and prevent eye contact. If skin irritation occurs: Wash with soap and water. Wash hands and exposed skin thoroughly after handling. If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: seek medical attention. Take off contaminated clothing and wash before reuse. Dispose in accordance with all federal, state and local regulations.

Application Rates:

To apply at the rate of 0.48 kg K₂O/100 sq. meters. Equivalent to 2.5 kg of product per 100 sq. meters. To apply at the rate of 0.24 kg K₂O/100 sq. meters. Equivalent to 1.4 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K ₂ O/100 m ² .	0.24 kg K ₂ O/100 m ² .
Lebanon Turf	5½	4½
Andersons AccuPro	M	J
Earthway Rotary	20	15
Gandy	30	26
Lely	7 II	5 II
Lesco (letter/numeric)	L/24	i/17
PennMulch HVO	0	K
ProScape SS	0	K
Spyker	5½	4½
Vicon	31	24

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.


Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



F699

22-35745 g/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight

FAIRWAY GRADE FERTILIZER

17-0-20



expo[®]
POTASSIUM
SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	17%
4.2% Water Insoluble Nitrogen*	
5.3% Urea Nitrogen	
7.5% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)**.....	20%
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe)	1.4%
0.14% Water Soluble Iron (Fe)	

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide Ferrous Sulfate.

*11.7% Slowly available Nitrogen from Methylene Ureas.

** 6.0% Slow Release Potash from Occcluded Sulfate of Potash.

Chlorine (Cl) not more than 2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	17%
4.2% Water Insoluble Nitrogen*	
5.3% Urea Nitrogen	
7.5% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)**.....	20%
Sulfur (S)	6.6%
6.6% Combined Sulfur (S)	
Iron (Fe) (actual)	1.4%
0.14% Water Soluble Iron (Fe)	
Chlorine (Cl) (maximum)	2.0%

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Ferric Oxide Ferrous Sulfate.

*11.7% Slowly available Nitrogen from Methylene Ureas.

** 6.0% Slow Release Potash from Occcluded Sulfate of Potash.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 5.2 lbs per 1,000 sq. ft. or 226 lbs. per acre. To feed at the rate of 0.5 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.9 lbs per 1,000 sq. ft. or 126 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1# K ₂ O/1,000 sq. ft.	0.5# K ₂ O/1,000 sq. ft.
Lebanon Turf	5½	4½
Andersons AccuPro	M	J
Earthway Rotary	20	15
Gandy	30	26
Lely	7 II	5 II
Lesco (letter/numeric)	L/24	i/17
PennMulch HVO	0	K
ProScape SS	0	K
Spyker	5½	4½
Vicon	31	24

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Warning



Hazard Statements

May be harmful if inhaled repeatedly over long time periods.
Suspected of causing cancer by prolonged/repeated inhalation.
Causes mild skin irritation.
May cause eye irritation.
May cause respiratory irritation on contact.

Precautionary Statements

Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust and prevent eye contact.
If skin irritation occurs: Wash with soap and water.
Wash hands and exposed skin thoroughly after handling.
If in eyes, rinse cautiously with water for several minutes.
If eye irritation persists: seek medical attention.
Take off contaminated clothing and wash before reuse.
Dispose in accordance with all federal, state and local regulations.

Application Rates:

To apply at the rate of 0.48 kg K₂O/100 sq. meters. Equivalent to 2.5 kg of product per 100 sq. meters.
To apply at the rate of 0.24 kg K₂O/100 sq. meters. Equivalent to 1.4 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K ₂ O /100 m ² .	0.24 kg K ₂ O /100 m ² .
Lebanon Turf	5½	4½
Andersons AccuPro	M	J
Earthway Rotary	20	15
Gandy	30	26
Lely	7 II	5 II
Lesco (letter/numeric)	L/24	i/17
PennMulch HVO	0	K
ProScape SS	0	K
Spyker	5½	4½
Vicon	31	24

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.


Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



F699

22-35745

g/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685



LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight