

LebanonTurf

Country Club[®]

Blended Fertilizer

19-0-19

MESA

P A T E N T E D



GUARANTEED ANALYSIS		GUARANTEED MINIMUM ANALYSIS	
Total Nitrogen (N)	19%	Total Nitrogen (N)	19%
3.4% Ammoniacal Nitrogen		3.4% Ammoniacal Nitrogen	
5.0% Water Insoluble Nitrogen*		5.0% Water Insoluble Nitrogen*	
2.4% Urea Nitrogen		2.4% Urea Nitrogen	
8.2% Other Water Soluble Nitrogen*		8.2% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	19%	Soluble Potash (K ₂ O)	19%
Sulfur (S)	10.2%	Sulfur (S)	10.2%
10.2% Combined Sulfur (S)		10.2% Combined Sulfur (S)	
Iron (Fe)	3.0%	Iron (Fe) (actual)	3.0%
0.03% Water Soluble Iron (Fe)		0.03% Water Soluble Iron (Fe)	
Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate.		Chlorine (Cl) (maximum)	
*13.2% Slowly available Nitrogen from Methylene Ureas.		2.0%	
Chlorine (Cl) not more than	2.0%	Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate.	
U.S.A.		*13.2% Slowly available Nitrogen from Methylene Ureas.	
		CANADA	

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:		
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.7 lbs per 1,000 sq. ft. or 196 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.6 lbs per 1,000 sq. ft. or 109 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4½	3
Andersons AccuPro	K	6
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	I/17	F/13
PennMulch HVO	K	6
ProScape SS	K	6
Spyker	4½	3
Vicon	24	21
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		

Hazard Statements
May be harmful if inhaled repeatedly over prolonged periods.

Precautionary Statements
Avoid breathing dust.
Seek medical advice if you feel unwell.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.


Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:		
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.		
To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg #N/100 m ² .	0.22 kg #N/100 m ² .
Lebanon Turf	4½	3
Andersons AccuPro	K	6
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	I/17	F/13
PennMulch HVO	K	6
ProScape SS	K	6
Spyker	4½	3
Vicon	24	21
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>



0 88685 35750 3
F699 22-35750 j/16

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight

19-0-19

MESA

P A T E N T E D



GUARANTEED ANALYSIS

Total Nitrogen (N)	19%
3.4% Ammoniacal Nitrogen	
5.0% Water Insoluble Nitrogen*	
2.4% Urea Nitrogen	
8.2% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	19%
Sulfur (S)	10.2%
10.2% Combined Sulfur (S)	
Iron (Fe)	3.0%
0.03% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate.

*13.2% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%
U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	19%
3.4% Ammoniacal Nitrogen	
5.0% Water Insoluble Nitrogen*	
2.4% Urea Nitrogen	
8.2% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	19%
Sulfur (S)	10.2%
10.2% Combined Sulfur (S)	
Iron (Fe) (actual)	3.0%
0.03% Water Soluble Iron (Fe)	

Chlorine (Cl) (maximum) 2.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate.

*13.2% Slowly available Nitrogen from Methylene Ureas.

CANADA

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.7 lbs per 1,000 sq. ft. or 196 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.6 lbs per 1,000 sq. ft. or 109 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4½	3
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	I/17	F/13
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4½	3
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements
May be harmful if inhaled repeatedly over prolonged periods.

Precautionary Statements
Avoid breathing dust.
Seek medical advice if you feel inwell.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.


Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg #N/100 m ² .	0.22 kg #N/100 m ² .
Lebanon Turf	4½	3
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	I/17	F/13
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4½	3
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>



F699

22-35750 j/16



For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight