

Lebanon Pro



FERTILIZER 18-0-3

GUARANTEED ANALYSIS

Total Nitrogen (N) **18%**
 0.9% Water Insoluble Nitrogen*
 17.1% Urea Nitrogen*
Soluble Potash (K₂O) **3%**
 Iron (Fe) 2.0%
 0.2% Water Soluble Iron

Derived From: Biosolids, Urea, Polymer Coated Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

*8.1% Slowly available Nitrogen from Polymer Coated Urea and biosolids.

Chlorine (Cl) not more than..... 3.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) **18%**
 0.9% Water Insoluble Nitrogen*
 17.1% Urea Nitrogen*
Soluble Potash (K₂O) **3%**
 Iron (Fe) (actual) 2.0%
 0.2% Water Soluble Iron

Derived From: Biosolids, Urea, Polymer Coated Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

Chlorine (Cl) maximum 3.0%

*8.1% Slowly available Nitrogen from Polymer Coated Urea and biosolids.

CANADA

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.9 lbs per 1,000 sq. ft. or 213 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 122 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

WARNING



Hazard Statements

Causes skin irritation.
 Causes eye irritation.
 May be harmful if inhaled.
 May cause respiratory irritation.
 Suspected of causing cancer.

Precautionary Statements for handling:

Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Wash hands and exposed skin thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Use personal protective equipment as required.
 If in eyes, rinse with water and seek medical attention if symptoms persist.
 Take off contaminated clothing and wash before reuse.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
 If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 Store in a well-ventilated place.
 Keep container tightly closed.
 Dispose of contents/container properly as required by law for waste pesticides.
 If exposed or concerned, seek medical advice.
 Keep out of reach of children
 Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.2 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N/100 m ²	0.22 kg# N/100 m ²
Lebanon Turf	4½	3½
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **22-40410** K/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685



Manufactured by:
Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 1704
 800-233-0628 • (717) 273-1685
 Made in the U.S.A.
www.LebanonTurf.com

NET WT. 50 LBS. (22.7 KG.)



FERTILIZER

18-0-3

GUARANTEED ANALYSIS

Total Nitrogen (N) **18%**
 0.9% Water Insoluble Nitrogen*
 17.1% Urea Nitrogen*

Soluble Potash (K₂O) **3%**
 Iron (Fe) 2.0%
 0.2% Water Soluble Iron

Derived From: Biosolids, Urea, Polymer Coated Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

*8.1% Slowly available Nitrogen from Polymer Coated Urea and biosolids.

Chlorine (Cl) not more than..... 3.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) **18%**
 0.9% Water Insoluble Nitrogen*
 17.1% Urea Nitrogen*

Soluble Potash (K₂O) **3%**
 Iron (Fe) (actual) 2.0%
 0.2% Water Soluble Iron

Derived From: Biosolids, Urea, Polymer Coated Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

Chlorine (Cl) maximum 3.0%

*8.1% Slowly available Nitrogen from Polymer Coated Urea and biosolids.

CANADA

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.9 lbs per 1,000 sq. ft. or 213 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 122 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

WARNING



Hazard Statements

Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled.
May cause respiratory irritation.
Suspected of causing cancer.

Precautionary Statements for handling:

Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Take off contaminated clothing and wash before reuse.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/ attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Store in a well-ventilated place.
Keep container tightly closed.
Dispose of contents/container properly as required by law for waste pesticides.
If exposed or concerned, seek medical advice.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.2 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m ²	0.22 kg# N/100 m ²
Lebanon Turf	4½	3½
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 40410 8

F699

22-40410

K/17



Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 1704

800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

NET WT. 50 LBS. (22.7 KG.)