

# roots®

## TRANSPLANT

# 1-Step®

For Planting & Transplanting

See Individual Packets for Use Directions  
Not labeled for use on food crop sites.

- Gels (water-holding)
- Mycorrhizal fungi (18 species)
- N-P-K (fertilizer)

This product is intended as a supplement to a regular fertilizer program and may not, by itself, provide all the nutrients required by plants.

### 2-2-2

Guaranteed Analysis

Total Nitrogen (N) ..... 2.0%

0.6% Ammoniacal Nitrogen

1.4% Water-Insoluble Nitrogen\*

Available Phosphate (P<sub>2</sub>O<sub>5</sub>) ..... 2.0%

Soluble Potash (K<sub>2</sub>O) ..... 2.0%

Derived from: Diammonium phosphate, feather meal, sulfate of potash, kelp meal.

\*1.4% Slowly available nitrogen from feather meal.

#### ALSO CONTAINS NON PLANT FOOD INGREDIENTS

8.02% Mycorrhiza	(# viable organisms/gram)
<i>Pisolithus tinctorius</i> ..... 75,000	<i>Rhizopogon amyloporum</i> ..... 3,750
<i>Rhizopogon villosus</i> ..... 3,750	<i>Rhizopogon fulvileba</i> ..... 3,750
<i>Rhizopogon luteolus</i> ..... 3,750	<i>Scleroderma citrinum</i> ..... 1,875
<i>Scleroderma cepa</i> ..... 1,875	<i>Laccaria laccata</i> ..... 750
<i>Laccaria bicolor</i> ..... 750	<i>Glomus aggregatum</i> ..... 2.64
<i>Glomus intraradices</i> ... 2.98	<i>Glomus mosseae</i> ..... 2.64
<i>Glomus brasilianum</i> .. 0.34	<i>Glomus clarum</i> ..... 0.34
<i>Glomus deserticola</i> ... 0.34	<i>Glomus monosporum</i> ..... 0.34
<i>Glomus etunicatum</i> ... 0.34	<i>Gigaspora margarita</i> ..... 0.34
12.00% Cross linked polyacrylate polymer (water holding gel)	
7.00% Humic Acids derived from soluble potassium humate	



10088685570787

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

#### WARNING

##### Hazard Statements

Causes skin irritation with prolonged contact.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May be harmful if inhaled repeatedly over prolonged periods.  
Suspected of causing cancer by prolonged/repeated inhalation.



##### Precautionary Statements

Keep container tightly closed and store in a well-ventilated place.  
Avoid breathing dust.  
Wash hands thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use appropriate personal protective equipment as required to avoid breathing dust.  
If exposed or concerned, seek medical advice.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
If skin irritation occurs: Wash with plenty of soap and water.  
If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek medical advice.  
If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Take off contaminated clothing and wash before reuse.  
Dispose in accordance with all federal, state and local regulations.  
Keep out of reach of children.



Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

Expiration date:

F699

**NET CONTENTS 60 - 4 OZ packs NET WT 15 LB (6.8 KG)**

STORE AND TRANSPORT AT TEMPERATURES BETWEEN 40°F & 80°F

27-57078 h/15

# roots<sup>®</sup>

## TRANSPLANT

# 1-Step<sup>®</sup>

Para plantación  
y trasplante

Vea los paquetes individuales para llegar uso  
No etiquetado para su uso en sitios  
de cultivos alimentarios.

- Geles (de retención de agua)
- Hongos micorrizcos (18 especies)
- N-P-K (fertilizante)

Este producto está destinado como un suplemento a un programa de fertilización regular y no puede, por sí misma, proporcionar todos los nutrientes requeridos por las plantas.

## 2-2-2

Análisis Garantizado

Nitrógeno total (N) ..... 2.0%

0.6% El nitrógeno amoniacal

1.4% Nitrógeno insoluble en agua\*

Disponible fosfato (P<sub>2</sub>O<sub>5</sub>) ..... 2.0%

Potasio soluble (K<sub>2</sub>O) ..... 2.0%

Derivado de: fosfato diamónico, harina de plumas,  
sulfato de potasio, harina de algas marinas.

\*1.4% Poco a poco nitrógeno disponible a partir de harina de plumas.

También contiene ingredientes no alimentos de origen vegetal

8.02% Micorriza (# organismos viables por gramo)

*Pisolithus tinctorius*..... 75,000 *Rhizopogon amylopogon*..... 3,750

*Rhizopogon villosuli*..... 3,750 *Rhizopogon fulvigleba*..... 3,750

*Rhizopogon luteolus*..... 3,750 *Scleroderma citrinum*..... 1,875

*Scleroderma cepa*..... 1,875 *Laccaria laccata*..... 750

*Laccaria bicolor*..... 750 *Glomus aggregatum*..... 2.64

*Glomus intraradices*... 2.98 *Glomus mosseae*..... 2.64

*Glomus brasilianum*... 0.34 *Glomus clarum*..... 0.34

*Glomus deserticola*... 0.34 *Glomus monosporum*..... 0.34

*Glomus etunicatum*... 0.34 *Gipaspora margarita*..... 0.34

12.00% Polímero de poliacrilato enlazado (gel hirdo-absorbente)

7.00% Los ácidos húmicos derivados de Humate potasio soluble



10088685570787

La información relativa a los contenidos y niveles de metales en este producto está disponible en Internet en:  
<http://www.regulatory-info-lebsea.com>

### WARNING



#### Indicaciones de peligro

Causa irritación de la piel con el contacto prolongado.

Provoca irritación ocular grave.

Puede causar irritación respiratoria.

Puede ser nocivo si se inhala varias veces durante períodos prolongados.

Se sospecha que provoca cáncer prolongada / repetida inhalación.

#### Consejos de prudencia

Mantenga el recipiente bien cerrado y guárdelo en un lugar bien ventilado.

Evite respirar el polvo.

Lávese bien las manos después de manipular.

Utilizar únicamente en exteriores o en un lugar bien ventilado.

Llevar guantes / prendas / gafas de protección protector / la cara.

Use el equipo de protección personal adecuado según sea necesario para evitar respirar el polvo.

Si se expone o referido, acudir al médico.

Llame a un CENTRO DE TOXICOLOGÍA / oa un médico si se encuentra mal.

Si se produce irritación de la piel: Lavar con abundante agua y jabón.

Si en los ojos, enjuagar cuidadosamente con agua durante varios minutos. Si persiste la irritación ocular: Consultar a un médico.

Si se inhala y dificultad para respirar, a la víctima al exterior y mantenerla en reposo en una posición

confortable para respirar.

Quítese la ropa contaminada y lávela antes de volverla a usar.

Desear de conformidad con todas las regulaciones federales, estatales y locales.

Mantener fuera del alcance de los niños.

LebanonTurf

Fabricado por:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

F699

**CONTENIDO NETO 60 - 4 OZ paquetes PESO NETO 15 LB (6.8 KG)**

ALMACENAMIENTO Y TRANSPORTE a temperaturas entre 4 °C y 27 ° C

27-57078 h/15

## WARNING



### Hazard Statements

Causes skin irritation with prolonged contact.

Causes serious eye irritation.

May cause respiratory irritation.

May be harmful if inhaled repeatedly over prolonged periods.

Suspected of causing cancer by prolonged/repeated inhalation.

### Precautionary Statements

Keep container tightly closed and store in a well-ventilated place.

Avoid breathing dust.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use appropriate personal protective equipment as required to avoid breathing dust.

If exposed or concerned, seek medical advice.

Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation occurs: Wash with plenty of soap and water.

If in eyes, rinse cautiously with water for several minutes. If eye irritation persists: Seek medical advice.

If inhaled and breathing difficulty occurs, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Take off contaminated clothing and wash before reuse.

Dispose in accordance with all federal, state and local regulations.

Keep out of reach of children.

## WARRANTY

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Not labeled for use on food crop sites.

# roots®

## TRANSPLANT 1-Step®

For Planting &  
Transplanting

### 2-2-2

Guaranteed Analysis

Total Nitrogen (N) ..... 2.0%

0.6% Ammoniacal Nitrogen

1.4% Water-Insoluble Nitrogen\*

Available Phosphate (P<sub>2</sub>O<sub>5</sub>) ..... 2.0%

Soluble Potash (K<sub>2</sub>O) ..... 2.0%

Derived from: Diammonium phosphate, feather meal, sulfate of potash, kelp meal.

\*1.4% Slowly available nitrogen from feather meal.

### F699

Roots Transplant 1-Step is a combination fertilizer and inoculant for planting trees and shrubs. It contains several species of ecto- and endomycorrhizal fungi along with water-absorbing polymer to keep the roots moist. Humic acids are included to aid in nutrient uptake.

This product is intended as a supplement to a regular fertilizer program and may not, by itself, provide all the nutrients required by plants.

### STORAGE

For maximum shelf life, store between 40°F and 80°F. (4°C and 27°C.) Keep out of direct sunlight.

For Safety Data Sheets contact your local distributor or call us at 1-800-233-1067.

LebanonTurf

Manufactured by:  
**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

Made in the U.S.A.  
www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

## DIRECTIONS FOR USE:

Apply only as directed.

### BALLED & BURLAPPED TREES AND SHRUBS

Use 4 ounces (1 packet) per inch of trunk diameter when planting or transplanting.

### ROSES AND OTHER SHRUBS

Use 2-3 ounces per plant (two tablespoons per ounce) when planting or transplanting.


### CONTAINER PLANTS

Use 1 tablespoon per gallon (ex., for a 2 gallon container use 2 tablespoons) when planting or transplanting.

- Gels (water-holding)
- Mycorrhizal fungi (18 species)
- N-P-K (fertilizer)

### ALSO CONTAINS NON PLANT FOOD INGREDIENTS

8.02% Mycorrhiza	(# viable organisms/gram)
<i>Pisolithus tinctorius</i> ...	75,000
<i>Rhizopogon amyllopogon</i> ...	3,750
<i>Rhizopogon villosus</i> ...	3,750
<i>Rhizopogon fulvignea</i> ...	3,750
<i>Rhizopogon luteolus</i> ...	3,750
<i>Scleroderma citrinum</i> ...	1,875
<i>Scleroderma cepa</i> ...	1,875
<i>Laccaria laccata</i> .....	750
<i>Laccaria bicolor</i> .....	750
<i>Glomus aggregatum</i> .....	2,64
<i>Glomus intraradices</i> .....	2,98
<i>Glomus mosseae</i> .....	2,64
<i>Glomus brasilianum</i> .....	0,34
<i>Glomus clarum</i> .....	0,34
<i>Glomus deserticola</i> .....	0,34
<i>Glomus monosporum</i> .....	0,34
<i>Glomus etunicatum</i> .....	0,34
12.00% Cross linked polyacrylate polymer (water holding gel)	
7.00% Humic Acids derived from soluble potassium humate	



27-57078

g/15

NET WT 4 OZ (113.4 g)

STORE AND TRANSPORT AT TEMPERATURES BETWEEN 40°F & 80°F (4°C & 27°C)