



Country Club[®]

FERTILIZER



STARTER FORMULA

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

13-25-12

GUARANTEED ANALYSIS

Total Nitrogen (N)	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S)	3.1%
3.1% Combined Sulfur (S)	
Iron (Fe)	2.0%
0.2% Water Soluble Iron (Fe)	

Derived From:Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

Chlorine (Cl) not more than 8.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S)	3.1%
3.1% Combined Sulfur (S)	
Iron (Fe) (Actual).....	2.0%
0.2% Water Soluble Iron (Fe)	

Chlorine (Cl) maximum 8.0%

Derived From:Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

CANADA

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:
To feed at the rate of 1.5 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 6 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 1/2 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.

Spreader	SUGGESTED SPREADER SETTINGS	
	6# /1,000 sq. ft.	2# /1,000 sq. ft.
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric) K/22		H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State
- 3) Re-establishing or repairing a turf area.

*In Maryland, the soil testing laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Warning

Hazard Statements

May be harmful if swallowed.
Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled.
May cause respiratory irritation.
Suspected of causing cancer.



Precautionary Statements

Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Take off contaminated clothing and wash before reuse.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Store in a well-ventilated place.
Keep container tightly closed.
Dispose of contents/container properly as required by law for waste pesticides.
If exposed or concerned, seek medical advice.
Keep out of reach of children
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.


Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

Application Rates:
To feed at the rate of 0.72 kg Phosphate (P₂O₅) Equivalent to 3.5 kg of product per 100 sq. meters.
To feed at the rate of 0.24 kg Phosphate (P₂O₅) Equivalent to 1.2 kg of product per 100 sq. meters.

Spreader	SUGGESTED SPREADER SETTINGS	
	3.5 kg #/100 m ² .	1.2 kg #/100 m ² .
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric) K/22		H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-35573** H/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

Do not apply to frozen ground.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight

STARTER FORMULA

HOMOGENEOUS GRANULES FOR PROFESSIONAL TURF

13-25-12

GUARANTEED ANALYSIS

Total Nitrogen (N)	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S)	3.1%
3.1% Combined Sulfur (S)	
Iron (Fe)	2.0%
0.2% Water Soluble Iron (Fe)	

Derived From:Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

Chlorine (Cl) not more than 8.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	13%
9.5% Ammoniacal Nitrogen	
3.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	25%
Soluble Potash (K ₂ O).....	12%
Sulfur (S)	3.1%
3.1% Combined Sulfur (S)	
Iron (Fe) (Actual).....	2.0%
0.2% Water Soluble Iron (Fe)	

Chlorine (Cl) maximum 8.0%

Derived From:Ammonium Phosphate, Ammonium Sulfate, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

CANADA

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:

To feed at the rate of 1.5 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 6 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of ½ lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	6# /1,000 sq. ft.	2# /1,000 sq. ft.
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State
- 3) Re-establishing or repairing a turf area.

*In Maryland, the soil testing laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Warning

Hazard Statements

May be harmful if swallowed.
Causes skin irritation.
Causes eye irritation.
May be harmful if inhaled.
May cause respiratory irritation.
Suspected of causing cancer.



Precautionary Statements

Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
If in eyes, rinse with water and seek medical attention if symptoms persist.
Take off contaminated clothing and wash before reuse.
IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides.

If exposed or concerned, seek medical advice.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

Application Rates:


To feed at the rate of 0.72 kg Phosphate (P₂O₅) Equivalent to 3.5 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Phosphate (P₂O₅) Equivalent to 1.2 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	3.5 kg # /100 m ² .	1.2 kg # /100 m ² .
Lebanon Turf	5	4
Andersons AccuPro	0	H
Earthway Rotary	18	15
Gandy	35	30
Lely	7 II	5 II
Lesco (letter/numeric)	K/22	H/15
PennMulch HVO	0	J
ProScape SS	0	J
Spyker	5	4
Vicon	30	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

21-35573

H/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

Do not apply to frozen ground.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight