




# Country Club®

## FERTILIZER



**GREENS GRADE FORMULA**  
**FINE HOMOGENEOUS GRANULES FOR CLOSE TURF**  
**COVERS 9,000 Sq. Ft.**



# 10-18-18



**GUARANTEED ANALYSIS**

Total Nitrogen (N).....	10%
5.2% Ammoniacal Nitrogen	
2.2% Water Insoluble Nitrogen*	
1.3% Urea Nitrogen	
1.3% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	18%
Soluble Potash (K <sub>2</sub> O).....	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S).....	7.0%
7.0% Combined Sulfur (S)	
Iron (Fe).....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn).....	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
*3.5% Slowly Available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than.....	2.0%

U.S.A

**GUARANTEED MINIMUM ANALYSIS**

Total Nitrogen (N).....	10%
5.2% Ammoniacal Nitrogen	
2.2% Water Insoluble Nitrogen*	
1.3% Urea Nitrogen	
1.3% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	18%
Soluble Potash (K <sub>2</sub> O).....	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S).....	7.0%
7.0% Combined Sulfur (S)	
Iron (Fe) (actual).....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) (actual).....	0.25%
0.25% Water Soluble Manganese (Mn)	
*3.5% Slowly Available Nitrogen from Methylene Ureas.	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) maximum.....	2.0%

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**NOTICE:** This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

**Application Rates:**  
 To feed at the rate of 1 lb. Phosphate (P<sub>2</sub>O<sub>5</sub>) per 1,000 sq. ft., apply this product at 5.6 lbs per 1,000 sq. ft. or 244 lbs. per acre. To feed at the rate of 0.62 lb. Phosphate (P<sub>2</sub>O<sub>5</sub>) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre.

SUGGESTED SPREADER SETTINGS			
Spreader	1 # P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.	0.62# P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.	
Lebanon Turf	4½	3½	
Andersons AccuPro	L	H	
Earthway Rotary	15	14	
Gandy	27	24	
Lely	5½ II	4 II	
Lesco (letter/numeric)	i/17	H/15	
PennMulch HVO	L	J	
ProScape SS	L	J	
Spyker	4½	3½	
Vicon	24	22	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

**In Maryland, New Jersey, New York and Virginia:** This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory\* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- 3) Re-establishing or repairing a turf area.

\*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.  
**In New Hampshire:** This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

**Warning**

**Hazard Statements**

Harmful if swallowed.  
 May be harmful if swallowed.  
 Causes skin irritation.  
 Causes eye irritation.  
 May be harmful if inhaled.  
 May cause respiratory irritation.  
 Suspected of causing cancer.



**Precautionary Statements for handling**

Do not handle until all safety precautions have been read and understood.  
 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 Wash hands and exposed skin thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Use personal protective equipment as required.  
 If in eyes, rinse with water and seek medical attention if symptoms persist.  
 Rinse mouth.  
 Take off contaminated clothing and wash before reuse.  
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 IF ON SKIN: Wash with plenty of soap and water.  
 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 If skin irritation occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 Store locked up.  
 Store in a well-ventilated place.  
 Keep container tightly closed.  
 Dispose of contents/container properly as required by law for waste pesticides.  
 If exposed or concerned, seek medical advice.  
 Keep out of reach of children  
 Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

**DIRECTIONS FOR USE:** Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
 To feed at the rate of 0.72 kg Phosphate (P<sub>2</sub>O<sub>5</sub>) Equivalent to 4.9 kg of product per 100 sq. meters.  
 To feed at the rate of 0.24 kg Phosphate (P<sub>2</sub>O<sub>5</sub>) Equivalent to 1.7 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS			
Spreader	0.72 kg P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.	0.24 kg P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.	
Lebanon Turf	4½	3½	
Andersons AccuPro	L	H	
Earthway Rotary	15	14	
Gandy	27	24	
Lely	5½ II	4 II	
Lesco (letter/numeric)	i/17	H/15	
PennMulch HVO	L	J	
ProScape SS	L	J	
Spyker	4½	3½	
Vicon	24	22	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

**WARRANTY**

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

F699 **21-35593** L/17

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)


**Lebanon Seaboard Corporation**  
 1600 E. Cumberland St • Lebanon, PA 17042  
 800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**

# GREENS GRADE FORMULA

## FINE HOMOGENEOUS GRANULES FOR CLOSE TURF

### COVERS 9,000 Sq. Ft.



# 10-18-18



### GUARANTEED ANALYSIS

Total Nitrogen (N).....	10%
5.2% Ammoniacal Nitrogen	
2.2% Water Insoluble Nitrogen*	
1.3% Urea Nitrogen	
1.3% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	18%
Soluble Potash (K <sub>2</sub> O).....	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S).....	7.0%
7.0% Combined Sulfur (S)	
Iron (Fe).....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn).....	0.25%
0.25% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
*3.5% Slowly Available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than.....	2.0%
	<b>U.S.A</b>

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N).....	10%
5.2% Ammoniacal Nitrogen	
2.2% Water Insoluble Nitrogen*	
1.3% Urea Nitrogen	
1.3% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	18%
Soluble Potash (K <sub>2</sub> O).....	18%
Magnesium (Mg).....	0.5%
0.5% Water Soluble Magnesium (Mg)	
Sulfur (S).....	7.0%
7.0% Combined Sulfur (S)	
Iron (Fe) (actual).....	0.5%
0.5% Water Soluble Iron (Fe)	
Manganese (Mn) (actual).....	0.25%
0.25% Water Soluble Manganese (Mn)	
*3.5% Slowly Available Nitrogen from Methylene Ureas.	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) maximum.....	2.0%
	<b>CANADA</b>

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.**

**Application Rates:**  
To feed at the rate of 11lb. Phosphate (P<sub>2</sub>O<sub>5</sub>) per 1,000 sq. ft., apply this product at 5.6 lbs per 1,000 sq. ft. or 244 lbs. per acre. To feed at the rate of 0.62 lb. Phosphate (P<sub>2</sub>O<sub>5</sub>) per 1,000 sq. ft., apply this product at 3.4 lbs per 1,000 sq. ft. or 148 lbs. per acre.

**SUGGESTED SPREADER SETTINGS**

Spreader	1 # P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.	0.62# P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	L	H
Earthway Rotary	15	14
Gandy	27	24
Lely	5½ II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

**In Maryland, New Jersey, New York and Virginia:** This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory\* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

\*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

**In New Hampshire:** This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

### Warning

#### Hazard Statements

Harmful if swallowed.  
May be harmful if swallowed.  
Causes skin irritation.  
Causes eye irritation.  
May be harmful if inhaled.  
May cause respiratory irritation.  
Suspected of causing cancer.



#### Precautionary Statements for handling

Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wash hands and exposed skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use personal protective equipment as required.  
If in eyes, rinse with water and seek medical attention if symptoms persist.  
Rinse mouth.  
Take off contaminated clothing and wash before reuse.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/attention.  
Store locked up.  
Store in a well-ventilated place.  
Keep container tightly closed.  
Dispose of contents/container properly as required by law for waste pesticides.  
If exposed or concerned, seek medical advice.  
Keep out of reach of children  
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

**DIRECTIONS FOR USE:** Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce fertilizer applications.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
To feed at the rate of 0.72 kg Phosphate (P<sub>2</sub>O<sub>5</sub>) Equivalent to 4.9 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Phosphate (P<sub>2</sub>O<sub>5</sub>) Equivalent to 1.7 kg of product per 100 sq. meters.

**SUGGESTED SPREADER SETTINGS**

Spreader	0.72 kg P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.	0.24 kg P <sub>2</sub> O <sub>5</sub> /1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	L	H
Earthway Rotary	15	14
Gandy	27	24
Lely	5½ II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	3½
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

F699 **21-35593** L/17

# LebanonTurf

For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

**Lebanon Seaboard Corporation**

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

**50 Lbs. (22.7 kg) Net Weight**