

Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Hazard Statements:

Application Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.3 lbs per 1,000 sq. ft. or 144 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.9 lbs per 1,000 sq. ft. or 83 lbs. per acre.			
SUGGESTED SPREADER SETTINGS			
Spreader 0.9	#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.	
Lebanon Turf	41⁄4	3	
Andersons AccuPro	I	F	
Earthway Rotary	15	12	
Gandy	25	22	
Lely	5 II	3	
Lesco (letter/numeric)	I/16	D/10	
PennMulch HVO	K	E	
ProScape SS	К	E	
Spyker	4¼	3	
Vicon	23	20	
These settings were calibrated and field tested. However,			
age and condition of spreader, speed of operation and			
evenness of terrain may require slightly different settings for			
desired coverage.			

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

## WARNING

May cause skin irritation. May be harmful if inhaled. May cause eye irritation. Precautionary Statements for handling: Wash hands and exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection, and face protection. If eve exposure occurs, rinse with water and seek medical attention. Take off contaminated clothing and wash before reuse. If skin irritation occurs seek medical advice Store locked up in a well-ventilated place. Keep the container tightly closed and out of reach of children. Dispose of in accordance with all federal, state and local regulations. Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground.

## WARRANTY

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions

## 50 Lbs. (22.7 kg) Net Weight

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

## Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.			
SUGGESTED SPREADER SETTINGS			
Spreader 0.4	3 kg #N/100 m <sup>2</sup> .	0.22 kg #N/100 m <sup>2</sup> .	
Lebanon Turf	41⁄4	3	
Andersons AccuPro	I.	F	
Earthway Rotary	15	12	
Gandy	25	22	
Lely	5 II	3	
Lesco (letter/numeric)	I/16	D/10	
PennMulch HVO	K	E	
ProScape SS	K	E	
Spyker	41⁄4	3	
Vicon	23	20	
These settings were calibrated and field tested. However,			
age and condition of spreader, speed of operation and			
evenness of terrain may require slightly different settings for			
desired coverage.			



Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685 Made in the U.S.A. www.LebanonTurf.com