

Pro **LEBANON** Scape®

FERTILIZER 40-0-0



GUARANTEED ANALYSIS

Total Nitrogen (N) 40%
 12.5% Water Insoluble Nitrogen*
 6.5% Urea Nitrogen
 21.0% Other Water Soluble Nitrogen*

Derived From: Methylene Ureas, Urea.

*33.5% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 40%
 12.5% Water Insoluble Nitrogen*
 6.5% Urea Nitrogen
 21.0% Other Water Soluble Nitrogen*

Chlorine (Cl) not more than 2.0%

Derived From: Methylene Ureas, Urea.

*33.5% Slowly available Nitrogen from Methylene Ureas.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:
 To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.5 lbs per 1,000 sq. ft. or 96 lbs. per acre.

SUGGESTED SPREADER SETTINGS	
Spreader	0.9#N/1,000 sq. ft.
Lebanon Turf	4½
Andersons AccuPro	i
Earthway Rotary	14
Gandy	25
Lely	4½ II
Lesco (letter/numeric)	G/15
PennMulch HVO	J
ProScape SS	J
Spyker	4½
Vicon	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods.

Precautionary Statements

Avoid breathing dust.
 Seek medical advice or attention if you feel unwell
 Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.


Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 0.43 to 2.0 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
 To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS	
Spreader	0.43 kg #N/100 m ²
Lebanon Turf	4½
Andersons AccuPro	i
Earthway Rotary	14
Gandy	25
Lely	4½ II
Lesco (letter/numeric)	G/15
PennMulch HVO	J
ProScape SS	J
Spyker	4½
Vicon	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 54276 3
 F699 **21-54276** F/18

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



Manufactured by:
Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042
 800-233-0628 • (717) 273-1685
 Made in the U.S.A.
www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

NET WEIGHT **50** LBS. (22.7 KG)

FERTILIZER

40-0-0



GUARANTEED ANALYSIS

Total Nitrogen (N) **40%**
 12.5% Water Insoluble Nitrogen*
 6.5% Urea Nitrogen
 21.0% Other Water Soluble Nitrogen*

Derived From: Methylene Ureas, Urea.

*33.5% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 2.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) **40%**
 12.5% Water Insoluble Nitrogen*
 6.5% Urea Nitrogen
 21.0% Other Water Soluble Nitrogen*

Chlorine (Cl) not more than 2.0%

Derived From: Methylene Ureas, Urea.

*33.5% Slowly available Nitrogen from Methylene Ureas.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.5 lbs per 1,000 sq. ft. or 96 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.9#N/1,000 sq. ft.
Lebanon Turf	4½
Andersons AccuPro	i
Earthway Rotary	14
Gandy	25
Lely	4½ II
Lesco (letter/numeric)	G/15
PennMulch HVO	J
ProScape SS	J
Spyker	4½
Vicon	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods.

Precautionary Statements

Avoid breathing dust.
 Seek medical advice or attention if you feel unwell
 Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 0.43 to 2.0 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.


Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg #N/100 m ²
Lebanon Turf	4½
Andersons AccuPro	i
Earthway Rotary	14
Gandy	25
Lely	4½ II
Lesco (letter/numeric)	G/15
PennMulch HVO	J
ProScape SS	J
Spyker	4½
Vicon	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



21-54276

F699

F/18

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the Internet at:

<http://www.regulatory-info-lebsea.com>

NET WEIGHT 50 LBS. (22.7 KG)