# 0.067% Acelepryn®

# **INSECTICIDE and GRUB PREVENTER**



Group 28 Insecticide

## **GUARANTEED ANALYSIS**

Total Nitrogen (N) ...... 18.0%

1.8% Ammoniacal Nitrogen

2.4% Water Insoluble Nitrogen\*

9.8% Urea Nitrogen

4.0% Other Water Soluble Nitrogen\*

Soluble Potash (K<sub>2</sub>0)......18.0%

8.0% Combined Sulfur (S)

Derived From: Ammonium Sulfate, Methylene Ureas, Urea Sulfate of Potash

Chlorine (CI) not more than...

\*6.4% Slowly available Nitrogen from Methylene Ureas.



22-29143

SUGGESTED SPREADER SETTINGS									
Spreader	3.44#/1,000 sq. ft.	5.17#/1,000 sq. ft.	6.88#/1,000 sq. ft.	Spreader 3.	44#/1,000 sq. ft.	5.17#/1,000 sq. ft.	6.88#/1,000 sq. ft.		
LebanonTurf	41/2	5	6	Lesco (letter/Numeric)	J/21	K/22	M/26		
Andersons Acc	uPro L	0	R	PennMulch HVO	M	0	R		
Earthway Rotar	y 15½	181/2	22	ProScape SS	M	0	R		
Gandy	27	30	34	Spyker	41/2	5	6		
Lely	5½ II	6½ II	7½ II	Vicon (all models)	25	30	32		
,	U/2 II	U/2 II	. / 2 11	Tioon (an inodolo)			- JL		

For systemic control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape

ornamentals, interior plantscapes and sod farms.

EPA Reg. No. 100-1492-961 EPA Est. No. 961-PA-01:961-IL-01

Chlorantraniliprole 3-Bromo-N-[4-chloro-2-methyl-6- [(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide........0.067% Other Ingredients:

\*Chlorantraniliprole belongs to the anthranilic diamide chemical class.

# KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alquien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

## FIRST AID

Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. HOTLINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal), or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident) Call 1-888-208-1368

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear · Long-sleeved shirt and long pants

After the product has been loaded into properly calibrated application equipment, shirt, pants, socks, and shoes are sufficient Personal Protective Equipment. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### User Safety Recommendations

· Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside.

. Then wash thoroughly and put on clean clothing.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites.

Surface Water Advisory: This product may impact surface water guality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of chlorantraniliprole from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory: This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and understand the entire label before using this product

LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer must be used only in accordance with specifications on this label or in separate Lebanon Seaboard Corporation supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. Lebanon Seaboard Corporation will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated on this label or other labels or bulletins published by Lebanon Seaboard Corporation. User assumes all risks associated with such non-specified use

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, an emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification to workers (as applicable).

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: Long-sleeved shirt and long pants
Shoes plus socks

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Professional applications to golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Worker Protection Standard.

Do not allow other workers to enter the treated area while application is in progress. Do not apply this product in commercial nurseries and greenhouses

#### PRODUCT INFORMATION

LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer may be applied for the control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals and interior plantscapes

LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer may be used on plants or turfgrasses that are being grown for aesthetic or recreational purposes or climatic modification in or around home lawns, commercial lawns, industrial facilities, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, wildlife plantings, playgrounds, schools, day-care facilities, golf courses (tee box areas, roughs, fairways, greens, collars etc.), athletic fields, sod farms and other landscaped areas,

Do not apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer when the soil is saturated with water because adequate distribution of the active ingredient vertically in the soil profile cannot be achieved under this condition.

LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer is in GROUP 28 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs.

Consult your local Lebanon Seaboard Corporation representative, Cooperative Extension Service specialist or pest control advisor for regionally specific information regarding application timing.

Apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer with drop-type, rotary-type or hand-held application equipment. The application equipment must be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area. During application, check equipment periodically to confirm that it is working properly and that the granules are being uniformly distributed.

## APPLICATION TIMING

White Grubs: Apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer from early April to early September for preventative and early curative control all of the major white grub species infesting turfgrass. The need for an application may be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. The higher rate listed for white grub control in Table 1 may be required in late August or early September when less sensitive mid-instar grubs are present at the time of application. Irrigate turf immediately after application or allow rainfall to move the product into the soil

Annual Bluegrass Weevil: Apply Lebanon Turf Country Club Fertilizer with 0.067% Aceleptyn® Insecticide and Grub Preventer when overwintered adult annual bluegrass weevils are observed in late April or early May to prevent damage from first generation larvae in late-May and June. An application of LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after mid-May.

Billbugs: Apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer when overwintered adult billbugs are first observed. This will usually occur in late April or early May in regions with cool-season turfgrasses. An application of LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after early May or when billbug species other than bluegrass billbug are present.

European Crane Fly: Apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer between September and November to control European crane fly larvae in turfgrass. The higher rate listed in Table 1 may be required to achieve control when applications are made in November.

Spittlebugs: LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer will provide control of two-lined spittlebug when applications are made

Turf Caterpillars: LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer will provide curative caterpillar control in turfgrass. If the area being treated is maintained at a mowing height of greater than one inch, then the higher rate listed in Table 1 may be required during periods of high pest pressure.

Chinch Bugs: For suppression of chinch bugs, apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer before eggs hatch.

# APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL TUREGRASS AREAS

Table 1 provides the application rates that will control the listed turfgrass pests. For maximum residual effectiveness or for optimal control of large pest infestations, apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer at up to 500 pounds per acre (0.33 lb Al/A) to control any of the pests listed in Table 1. Restriction: Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass.

IABLE 1: TURFGRASS APPLICATION RATES								
Target Pest	Product per Acre	Product per 1,000 Square Feet	lb Al/A					
White Grubs (including Aphodius spp., Asiatic garden beetle, black turfgrass ataenius, European chafer, green June beetle, Japanese beetle, May/June beetles (Phyllophaga spp.), northern masked chafer, oriental beetle and southern masked chafer)	150 to 300 pounds*	3.44 to 6.88 pounds	0.1 to 0.2					
Billbugs								
European Crane Fly								
Turf caterpillars (including armyworms, cutworms and sod webworms)								
Annual bluegrass weevil	225 to 300 pounds*	5.17 to 6.88 pounds	0.15 to 0.2					
Spittlebugs								
Chinch bugs (suppression only)	150 to 300 pounds*	3.44 to 6.88 pounds	0.1 to 0.2					

\*For maximum residual effectiveness or optimal control of large pest infestations, apply Lebanon ProScape Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer at up to 500 pounds per acre (0.33 lb Al/A).

### APPLICATION RATES FOR ORNAMENTAL PLANTS

Table 2 provides the application rates that will control the pests of landscape ornamentals and interior plantscapes. Before application, remove black plastic or other weed barrier materials that are impermeable to water. For maximum residual effectiveness or for optimal control of large pest infestations. Lebanon Turf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer may be applied at up to 500 pounds per acre (0.33 lb Al/A) to control any of the pests listed in Table 2.

Restriction: Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to ornamental plants. TABLE 2: ORNAMENTAL TREE AND SHRUB (INCLUDING EVERGREENS), FLOWER, FOLIAGE PLANT, AND GROUNDCOVER APPLICATION RATES

#### Product per Acre Product per 1,000 Square Feet Ib Al/A Target Pest

White Grubs (Asiatic garden beetle, European chafer, green June beetle

Japanese beetle, May/June beetles (Phyllophaga spp.), northern masked 150 to 300 pounds\* 3.44 to 6.88 pounds 0.1 to 0.2 chafer, oriental beetle and southern masked chafer

\*For maximum residual effectiveness or optimal control of large pest infestations, apply LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer at up to 500 pounds per acre (0.33 lb Al/A).

#### CLEANING APPLICATION EQUIPMENT

Thoroughly clean all application equipment after use to reduce the risk of forming hardened deposits that might become difficult to remove. Thoroughly rinse application equipment with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, or other water sources. Dispose of waste rinse water in accordance with local regulations.

#### INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS

LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of beneficial arthropods will aid in extending natural control of other insect and mite pests and will reduce the possibility of secondary pest outbreaks. LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer will reduce the target pest species that may serve as a food source for beneficial arthropods.

#### RESISTANCE MANAGEMENT

Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the labeled dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area.

These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your local Lebanon Seaboard Corporation representative, Cooperative Extension Service specialist or pest control advisor for the latest information on resistance management in your area.

#### RESTRICTIONS

• Not for use on plants (except turfgrass on sod farms) being grown for sale or other commercial use, or for commercial seed production.

• Do not formulate this product into other end-use products without written permission from Lebanon Seaboard Corporation

• Do not apply this product in commercial nurseries and greenhouses.

• Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turforass or landscape ornamental plants.

• Do not apply more than 300 pounds (equivalent to 0.2 lb of active ingredient) of product per acre in a single application on sod farms.

 Wait a minimum of 7 days to retreat. . Do not apply by air.

The following restrictions are required to permit use of LebanonTurf Country Club Fertilizer with 0.067% Acelepryn® Insecticide and Grub Preventer in the State of New York: Golf courses:

Greens, tee boxes: Do not apply this product within 25 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch) Fairways: Do not apply this product within 50 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch)

Do not apply this product within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposa

STORAGE: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food of feed in storage. Not for use or storage in or around the home. PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on

site or at an approved waste disposal facility. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Then offer for recycling, if available. Dispose of empty bag in a sanitary

andfill if allowed by state and local authorities.

## CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Lebanon Seaboard Corporation or Seller. To the extent permitted by applicable law, Buyer and User agree to hold Lebanon Seaboard Corporation and Seller harmless for any claims relating to such factors.

Lebanon Seaboard Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or Lebanon Seaboard Corporation, and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, Lebanon Seaboard Corporation MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall Lebanon Seaboard Corporation be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF Lebanon Seaboard Corporation AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF Lebanon Seaboard Corporation OR SELLER, THE REPLACEMENT OF THE PRODUCT

Lebanon Seaboard Corporation and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Lebanon Seaboard Corporation.

For non-emergency (e.g., current product information), call Lebanon Seaboard Corporation at 1-800-233-1067

Acelepryn® is a registered trademark of Syngenta Group Company.

# Distributed by:

Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 A/23

Net Weight 50 LBS. (22.7 kg)