# LebanonTurf

# Country Club® Blended Fertilizer



22-37219

**FERTILIZER** 

30-0-5





I-FORM) WITH AESA

## GUARANTEED ANALYSIS

GOAHAN I EED ANAET GIG	
Total Nitrogen (N)	<b>30</b> %
1.1% Ammoniacal Nitrogen	
13.5% Water Insoluble Nitrogen*	
8.5% Urea Nitrogen	
6.9% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> 0)	5%
Sulfur (S)	3.1%
3.1% Combined Sulfur (S)	

Derived From: Methylene Ureas, Ammonium Sulfate, Urea, Sulfate of Potash.

\*20.4% Slowly available nitrogen from Methylene Ureas.

# **GUARANTEED MINIMUM ANALYSIS**

Total Nitrogen (N)	30%
1.1% Ammoniacal Nitrogen	
13.5% Water Insoluble Nitrogen*	
8.5% Urea Nitrogen	
6.9% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> 0)	5%
Sulfur (S)	3.1%
3.1% Combined Sulfur (S)	

Derived From: Methylene Ureas, Ammonium Sulfate, Urea, Sulfate of Potash...

\*20.4% Slowly available nitrogen from Methylene Ureas.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

U.S.A

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.0 lbs per 1,000 sq. ft. or 130 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.7 lbs per 1,000 sq. ft. or 73 lbs. per acre.

### SUGGESTED SPREADER SETTINGS Spreader 0.9#N/1,000 sq. ft. 0.5#N/1,000 sq. ft. **Lebanon Turf** Andersons AccuPro **Earthway Rotary** 15 Gandy 30 24 Lesco (letter/numeric) J/21 G/15 PennMulch HVO ProScape SS Spyker 31/2

These settings were calibrated and field tested However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

In Pennsylvania: Do not exceed 0.9 lbs of total nitrogen per 1,000 sq. ft. per application.

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

**Hazard Statements** Causes skin irritation. May be harmful if inhaled. Causes serious eye irritation.

Causes eve irritation. **Precautionary Statements** 

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If in eyes, rinse with water and seek medical attention if symptoms persist. Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/attention. Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan Do not apply near water, storm drains or drainage ditches. Do not apply if heavy

Use in accordance with recommendations of a qualified individual or institution.

rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground.

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**CANADA** 

## **Application Rates:**

To feed at the rate of 0.41 kg Nitrogen (N) per 1,000 sq. ft., apply this product at 1.36 kg per 1,000 m² or 59 kg per hectare. To feed at the rate of 0.22 kg Nitrogen (N) per 1,000 sq. ft., apply this product at .77

SUGGESTED SPREADER SETTINGS			
Lebanon Turf	41/2	31/2	
Andersons Accu	Pro M	Н	
Earthway Rotary	15	14	
Gandy	30	24	
Lely	6½ II	4 II	
Lesco (letter/nu	meric) J/21	G/15	
PennMulch HVO	Ĺ	i	
ProScape SS	L	i	
Spyker	41/4	31/2	
Vicon	26	22	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

**LebanonTurf** 

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042 800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight