Lebanon Pro

BRAND

FERTILIZER

GUARANTEED ANALYSIS

Total Nitrogen (N)	25%
0.9% Water Insoluble Nitrogen*	
24.1% Urea Nitrogen*	
Soluble Potash (K,0)	6%
Iron (Fe)	2.0%
0.2% Water Soluble Iron (Fe)	
Derived From: Biosolids, Urea, Polymer Coated Ure	a,
Muriate of Potash, Ferric Oxide, Ferrous Sulfate.	
*8.4% Slowly available Nitrogen from Polymer Coated	d Urea.
Chlorine (CI) not more than	6.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	25 %
0.9% Water Insoluble Nitrogen*	
24.1% Urea Nitrogen*	
Soluble Potash (K ₂ 0)	6%
Iron (Fe) (actual)	2.0%
0.2% Water Soluble Iron (Fe)	
Derived From: Biosolids, Urea, Polymer Coated Ure	a,
Muriate of Potash, Ferric Oxide, Ferrous Sulfate.	
Chlorine (CI) not more than	6.0%
*8.4% Slowly available Nitrogen from Polymer Coated	l Urea.
CAN	V D V

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

U.S.A

Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 156 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.0 lbs per 1,000 sq. ft. or 87 lbs. per acre.

SUGGESTED SPREADER SETTINGS			
Spreader 0.9# N	/1,000 sq. ft.	0.5# N /1,000 sq. ft.	
Lebanon Turf	43/4	4	
Andersons AccuPro	i	H	
Earthway Rotary	15	14	
Gandy	27	24	
Lely	5 II	4 II	
Lesco (letter/numeric)	i/17	G/15	
PennMulch HVO	M	J	
ProScape SS	M	J	
Spyker	43/4	4	
Vicon	25	22	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com



WARNING



Causes skin irritation. May be harmful if inhaled. May cause respiratory irritation.

Hazard Statements

Causes serious eye irritation. Causes eye irritation.

Precautionary Statements for handling:

Wash hands and exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes, rinse with water and seek medical attention if symptoms persist.

Take off contaminated clothing and wash before reuse.

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides. Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all

federal, state and local regulations. Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin

or eyes, flush with plenty of water; for eyes get medical attention. Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension

publication, or apply according to recommendations in your approved nutrient

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn. Do not apply to frozen ground.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m^2 , applied every 4 to 8 weeks during the local growing season.

Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.6 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.9 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS			
Spreader 0.4	3 kg N/100 m ²	0.22 kg# N/100 m ²	
Lebanon Turf	43/4	4	
Andersons AccuPro	i	Н	
Earthway Rotary	15	14	
Gandy	27	24	
Lely	5 II	4 II	
Lesco (letter/numerio	c) i/17	G/15	
PennMulch HVO	M	J	
ProScape SS	M	J	
Spyker	43/4	4	
Vicon	25	22	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Manufactured by:

Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042

> www LebanonTurf com 800-233-0628 • (717-273-1685)

NET WEIGHT 50 LBS. (22.7 KG)